



ПАТРОННИЦИ



Универсални патронници за металорежещи машини по **DIN 6350** с гарантирана точност. Серия K11 - 3-челюстни самоцентриращи патронници с прави и обратни челюсти

Размер	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	h mm	z-d	Макс. скорост
80	55	66	16	66.5	50	4	3-M6	4000
100	72	84	22	74.5	55	3	3-M8	3500
125	95	108	30	84.5	58	4	3-M8	3000
160	130	142	45	94	65	5	3-M8	2500
200	165	180	65	109	75	5	3-M10	2000
250	206	226	80	120	80	5	3-M12	1600
315	260	285	100	147.5	90	6	3-M16	1200
400	340	368	130	173.5	100	6	3-M16	1000
500	440	465	210	202	115	6	6-M16	800
630	560	595	260	194	130	7	6-M16	800




Универсални патронници за металорежещи машини по **DIN 6350** с гарантирана точност. Серия K12 - 4-челюстни самоцентриращи патронници с прави и обратни челюсти

Размер	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	h mm	z-d	KGS
80	55	66	16	66.5	50	4	3-M6	2
100	72	84	22	74.5	53.5	3	3-M8	3
125	95	108	30	84.5	58	4	3-M8	5
160	130	142	45	94	65	5	3-M8	8.8
200	165	180	65	109	75	5	3-M10	15.5
250	206	226	80	120	80	5	3-M12	26
315	260	285	100	147.5	90	6	3-M16	50
400	340	368	130	173.5	100	6	3-M16	85
500	440	465	210	202	115	6	6-M16	119
630	560	595	260	220.5	135	6	6-M16	200




Универсални патронници за металорежещи машини по **DIN6350** с гарантирана точност. Серия K11 - 3-челюстни самоцентриращи патронници с прави и обратни челюсти

Размер D, mm	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	H ₂ mm	h mm	z-d	KGS
125	95	108	30	95	58	63	4	3-M8	4.8
130	100	115	40	97	60	65	5	3-M8	4.3
160	130	142	45	109	65	71	5	3-M8	8.3
190	155	172	55	122	75	80	5	3-M10	9.5
200	165	180	65	122	75	80	5	3-M10	13.0
230	190	210	70	136	80	86	6	3-M12	14.5
240	195	215	70	136	80	86	8	3-M12	22.5
250	206	226	80	136	80	86	5	3-M12	23.0
315	260	285	100	156.5	90	99.5	6	3-M16	41
320	270	290	100	156.5	90	99.5	6	3-M16	42
325	272	296	100	156.5	90	99.5	6	3-M16	41
380	325	350	130	173.5	100	112.5	6	3-M16	46
400	340	368	130	173.5	100	112.5	6	3-M16	62
500	440	465	210	202	115	126	6	6-M16	71
630	560	595	260	220.2	135	144.5	7	6-M16	200



Универсални патронници за металорежещи машини по **DIN6350** с гарантирана точност. Серия K12 - 4-челюстни самоцентриращи патронници с прави и обратни челюсти


Размер D, mm	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	h mm	z-d	KGS
125	95	108	30	95	58	4	3-M8	5
130	100	115	30	97	60	5	3-M8	5.6
160	130	142	45	109	65	5	3-M8	8.8
165	130	145	45	109	65	5	3-M8	9.8
190	155	172	55	122	75	5	3-M10	13.8
200	165	180	65	122	75	5	3-M10	15.5
240	195	215	70	136	80	8	3-M12	25
250	206	226	80	136	80	5	3-M12	26
315	260	285	100	156.5	90	6	3-M16	50
320	270	290	100	156.5	90	6	3-M16	53
325	272	296	100	156.5	90	6	3-M16	66
380	325	350	130	173.5	100	6	3-M16	66
400	340	368	130	173.5	100	6	3-M16	85
500	440	465	210	202	115	6	6-M16	119
630	560	595	260	220.5	135	6	6-M16	125



ПАТРОННИЦИ


Универсални патронници за металорежещи машини по **DIN6350** с гарантирана точност. Серия K72 - 4-челюстни патронници с независимо преместване на челюстите

Размер	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	h mm	z-d
80	55	66	22	58	42	3.5	4-M6
100	72	84	25	77	54	4	4-M8
125	95	108	30	78	56	4.5	4-M8
160	65	95	45	96.5	65	5	4-M10
160A	53	71	45	96.5	65	5	4-M10
160T	130	145	40	96.5	65	5	4-M10
200	125	104.8	50	110	75	6	4-M10
200A	75	95	56	110	75	6	4-M10
250	100	120	65	117.5	82	6	4-M12
250A	110	130	75	117.5	80	6	4-M12
300	152	130	75	128.5	85	6	4-M12
315	140	165	95	134	90	6	4-M16
320	140	165	95	134	90	6	4-M16
350	130	168	80	145	95	8	4-M16
400	160	185	125	143	95	8	4-M16
450	180	205	140	147	100	8	4-M16
500	200	236	160	161	106	8	4-M20
630	220	258	180	180	115	10	4-M20



Универсални патронници за металорежещи машини по **DIN6350** с гарантирана точност. Серия K72 - директен монтаж, 4-челюстни патронници с независимо преместване на челюстите

Размер	Палец номер	D ₁ mm	D ₂ mm	D ₃ mm	H mm	H ₁ mm	h mm	h ₁ mm	h ₂ mm	d ₁ mm	z-d
250	6	106.375	133.4	75	115.5	80	16	13	6.5	19.5	4-M12
400	6	106.375	133.4	95	143	95	16	13	6.5	19.5	4-M12
250	8	139.719	171.4	75	115.5	80	18	14	8.0	24.2	4-M16
320	8	139.719	171.4	95	134	90	18	14	8.0	24.2	4-M16
400	8	139.719	171.4	125	143	95	18	14	8.0	24.2	4-M16
450	8	139.719	171.4	125	147	100	18	14	8.0	24.2	4-M16
500	8	139.719	171.4	130	161	106	18	14	8.0	24.2	4-M16
630	8	139.719	171.4	130	180	115	18	14	8.0	24.2	4-M16
800	8	139.719	171.4	130	210	135	18	14	8.0	24.2	4-M16



Универсални патронници с МК опашки

Опашка	D ₁ mm	D mm
ø80	17.780	125
ø100	23.825	130
ø125	31.267	160
ø160	44.399	200



Външни твърди челюсти комплект за патронник K11 и K12

Размер K11
80
100
125
160
200

Размер K11
250
315
400
500
630

Размер K12
80
100
125
160
200

Размер K12
250
315
400
500
630



Вътрешни твърди челюсти комплект за патронник K11 и K12

Размер K11
80
100
125
160
200

Размер K11
250
315
400
500
630

Размер K12
80
100
125
160
200

Размер K12
250
315
400
500
630



Меки челюсти комплект за патронник K11 и K12

Размер K11
80
100
125
160
200

Размер K11
250
315
400
500
630

Размер K12
80
100
125
160
200

Размер K12
250
315
400
500
630



Фланец за универсален патронник тип С

Размер	Тарер №
125	3
125	4
160	3
160	4
160	5
200	4
200	5
200	6
250	5
250	6
250	8

Размер	Тарер №
315	6
315	8
315	11
400	6
400	8
400	11
500	8
500	11
500	15
630	8
630	11
630	15

